



1 The Courtyard, Roman Way, Coleshill, Birmingham. B46 1HQ  
**Tel:** +44 (0)1675 430 370 | **Fax:** +44 (0)1675 465 950 | **Email:** tester@hydradjaws.co.uk

## PORTABLE FIXING TESTERS – 2012 EXPORT PRICE LIST

### EX-WORKS SHIPPING CHARGES EXTRA

**\*NOTE:** All Kits are supplied in a foam filled carrying case with full operating instructions and a 1 year calibration certificate.  
**EXPORT MODELS:** All export kits are fitted with a hydraulic tester body coupler

#### Model 2000 Medium Duty Tester

<b>Model 2000 DELUXE Export Tester Kit</b>	Model 2000 DELUXE Export Tester Kit comprises a 50mm stroke tester plus; Choice of detachable gauge from 5kN, 10kN, 15kN, 20kN or 25kN with quick release hydraulic coupler, 6 threaded (M4, M5, M6, M8, M10, M12) & 6 slotted (4.5, 5.5, 6.5, 8.5, 10.5, 12.5mm) button adaptors, 150 load spreading bridge, bolt tester adaptor with M12 locking adaptor, 3mm ball driver, mounting screws, allen keys and oil replenisher bottle and piston key.*	<b>£955.00</b>
<b>Model 2000 DELUXE MASTER Tester Kit</b>	Model 2000 DELUXE MASTER Tester Kit comprises DELUXE Export Tester kit plus; Choice of 2 detachable gauges with from range of 5kN, 10kN, 15kN, 20kN and 25kN with quick release hydraulic couplers.*	<b>£1050.00</b>
<b>Model 2000 SCAFFOLD TIE Export Tester Kit</b>	Model 2000 SCAFFOLD Export Tester Kit comprises a 50mm stroke tester plus; detachable 0-20kN gauge with quick release hydraulic coupler, 150 load spreading bridge, M12 Locking adaptor, M12 ringbolt adapter clevis, 100mm Hex extension Legs, Bolt test adaptor, M16 threaded stud adaptor, M16 Hex set screw and M16 threaded stud, 3mm ball driver, mounting screws, allen keys and oil replenisher bottle and piston key.*	<b>£1005.00</b>
<b>Model 2000 SAFETY HARNESS EYEBOLT Export Tester Kit</b>	Model 2000 SAFETY HARNESS EYEBOLT Export Tester Kit comprises a 50mm stroke tester plus; detachable 0-15kN gauge with quick release hydraulic coupler plus; 150 load spreading bridge, M12 locking adaptor, M12 ringbolt adaptor clevis, 75mm Hex extension Legs, 22mm AF Hex operating nut, 3mm ball driver, mounting screws, allen keys and quick release hydraulic tester body coupler and oil replenisher bottle and piston key.*	<b>£969.00</b>
<b>Model 2000 MATERIAL BOND Export Tester Kit</b>	Model 2000 MATERIAL BOND Export Tester Kit comprises a 50mm stroke tester plus; detachable 0-25kN gauge with quick release hydraulic coupler or own choice, 10x50mm & 10x75mm steel disc's, bond stool and 22mm ratchet spanner and oil replenisher bottle and piston key.*	<b>£1357.00</b>
<b>Model 2000 WALL TIE Export Tester Kit</b>	Model 2000 WALL TIE Export Tester Kit comprises a 50mm stroke tester plus; 0-5kN gauge with quick release hydraulic coupler, M5 and M6 threaded rod adaptors and wall tie spacer bridge, 3mm ball driver, mounting screws, allen keys and oil replenisher bottle and piston key.*	<b>£807.00</b>
<b>100mm Stroke Model 2000 Body</b>	All Model 2000 Export testers feature 50mm stroke body with hydraulic body coupler. If required, a 100mm stroke body can be specified at extra cost.	<b>£68.00</b>

#### Model 2008 Heavy Duty Tester

<b>Model 2008 HEAVY DUTY Tester Kit</b>	Model 2008 HEAVY DUTY Tester Kit comprises; 145kN digital gauge, triangular aluminum load spreading bridge, connecting M20 drop rod and nut, 5 x heavy duty threaded adaptors M20>M12, M20>M16, M20>M20, M20>M24 & M20>M30, 22mm ratchet spanner, allen keys and mounting screws.*	<b>£2000.00</b>
---	--	-----------------



1 The Courtyard, Roman Way, Coleshill, Birmingham. B46 1HQ  
**Tel:** +44 (0)1675 430 370 | **Fax:** +44 (0)1675 465 950 | **Email:** tester@hydrajaws.co.uk

### Model 0095 Long Stroke Tester

<b>Model 0095 LONG STROKE ROOFING SCREW Tester Kit</b>	Model 0095 LONG STROKE ROOFING SCREW Tester Kit comprises; Choice of 2 detachable gauges from range of 5kN, 10kN, 15kN, 20kN & 25kN with quick release hydraulic couplers, oil replacement bottle and piston key. 4 interchangeable pulling plates and 6 plain slotted (4.5, 5.5, 6.5, 8.5, 10.5, 12.5mm) & 6 threaded (M4, M5, M6, M8, M10, M12) button adaptors.*	<b>£700.00</b>
--	---	----------------

### Model 0097 Tension Meter Tester

<b>Model 0097 TENSION METER/WIRE ROPE Export Tester Kit</b>	Model 0097 Tension Meter/Wire Rope Export Tester Kit comprises; Choice of detachable gauge from 5kN, 10kN, 15kN, 20kN, 25kN, 30kN & 40kN with quick release hydraulic coupler, an oil replenishment bottle and piston key.*	<b>£600.00</b>
<b>Model 0097 MASTER TENSION METER/WIRE ROPE Export Tester Kit</b>	Model 0097 MASTER Tension Meter/Wire Rope Export Tester Kit comprises 0097 Export Kit plus; Choice of 2 detachable gauges from range of 5kN, 10kN, 15kN, 20kN and 25kN, 30kN & 40kN with quick release hydraulic couplers, oil replenishment bottle and piston key.*	<b>£685.00</b>

### Universal Safety Lifeline Cable Tester (For testing all 8mm Wire rope systems)

<b>(KIT 1) UNIVERSAL SAFETY LIFELINE CABLE FRAME ONLY</b>	(Kit 1) UNIVERSAL SAFETY LIFELINE CABLE FRAME comprises; Extension bars, single cable clamp, slotted collar, spare cable clamps, 22mm AF Hex Operating Nut (alternative handle for use in confined spaces) and 22mm ratchet spanner.*  <b>**NOTE:</b> This kit requires a Model 2000 Medium Duty Tester with minimum 0- 25kN gauge to operate	<b>£1005.00</b>
<b>(KIT 2) UNIVERSAL COMBINED Export Tester Kit  FRAME, TESTER &amp; ACCESSORIES</b>	(Kit 2) COMBINED UNIVERSAL SAFETY LIFELINE CABLE FRAME, TESTER & ACCESSORIES comprises; 50mm stroke tester plus; detachable 0-25kN gauge with quick release hydraulic coupler, wall tie spacer bridge, M12 ringbolt adaptor clevis, M12 Locking adaptor, 100mm Hex extension legs, 150 load spreading bridge, M12 threaded stud coupling, M12 & M16 threaded stud adaptors, Bolt test adaptor, 3mm ball driver, mounting screws, allen keys and oil replenishment bottle and piston key.*	<b>£2060.00</b>

### Model 2000 Medium Duty Tester Additional Bridges

<b>Load Spreading Pyramid Stool</b>	Supplied with 3 adjustable thread legs & bolt test adaptor	<b>£243.00</b>
<b>270 Load Spreading Bridge with 270mm Span</b>	Supplied with 2 adjustable (200mm) legs, 3mm ball driver, M12 coupler & spare screws	<b>£225.00</b>
<b>600 Load Spreading Bridge</b>	Supplied with 2 adjustable threaded legs (300mm) 3mm, ball driver, M12 Coupler & spare screws.	<b>£310.00</b>

### Training

Hydrajaws offers training in the "safe use" of the **Model 2000 Medium Duty Tester** undertaken at our premises. This includes a certificate. **£50.00 per person**



1 The Courtyard, Roman Way, Coleshill, Birmingham. B46 1HQ  
**Tel:** +44 (0)1675 430 370 | **Fax:** +44 (0)1675 465 950 | **Email:** tester@hydradjaws.co.uk

### Model 2000 Medium Duty Tester Accessories

1a. 150 Load Spreading Bridge (116mm span)	£135.00
2. Oil Replenisher Bottle	£21.50
3. Medium Duty Gauges 5, 10, 15, 20, 25 & 30kN	£67.00 each
5. Button adaptors slotted 4.5, 5.5, 6.5, 8.5, 10.5 & 12.5mm	£5.95 each
6. Button adaptors threaded M4, M5, M6, M8, M10, M12   USA/CANADA UNC 3/8", 1/2", 5/8" and 3/4"	£5.95 each
7. Hex socket wrench set 2.5 & 3mm and spare screws	£POA
8.M12 Ringbolt Adaptor Clevis	£26.00
9.M5 Threaded Rod Adaptor	£17.00 each
10.M6 Threaded Rod Adaptor	£17.00 each
11.M8 Threaded Rod Adaptor	£17.00 each
12.M10 Threaded Rod Adaptor	£17.00 each
13.M10 Threaded Stud Adaptor	£30.00 each
14.M12 Threaded Stud Adaptor	£30.00 each
15.M16 Threaded Stud Adaptor	£30.00 each
16.M20 Threaded Stud Adaptor	£30.00 each
17. Insulation Adaptor	£50.00
18. Bolt Tester Adaptor	£32.50
19. 50mm Hex Extension Legs (Set of 3)	£27.00
20. 75mm Hex Extension Legs (set of 3)	£31.00
21. 100mm Hex Extension Legs (set of 3)	£37.00
22. 22mm AF Hex Operating Nut	£17.00
23. Carrying Case – standard/small size with filler	£60.00
24. Operating Instructions	FOC
25. Certificate of Calibration (annual calibration of physical analogue gauge)	£40.00
26. M12 Locking Adaptor (Model 2000)	£23.00
M12 Locking Adaptor (Model 0087)	£31.00
Timber Nail Adaptor	£37.00
Spiral Tie Adaptor	£37.00
3mm AF Hex Screw Driver	£5.50
Wall Tie Spacer Bridge	£43.00
M12 Threaded Stud Adaptor Coupling	£32.50
Bolt Fixing/U Bracket Adaptor Kit comprising; U bracket, pulling clevis, hardened cross bolt and 100mm hex extension legs. (Requires 150 load spreading bridge and M12 locking adaptor to operate)	£83.00
Timber Nail Bridge	£90.00
50mm Bond Discs (10 pack)	£78.00
75mm Bond Discs (10 pack)	£85.50
Side Plates to convert existing 250 model to 270 bridge	£83.50

### Model 2008 Heavy Duty Tester Accessories

Heavy Duty Load Spreading Bridge 125kN max (for use with hydraulic cylinder 125kN capacity) or Model2008	£517.00
Heavy Duty Pulling Frame	£215.00
Dial Indicator with base and stand	£157.00
Re-bar adaptors available in sizes 6 – 40mm	£POA
Heavy Duty Threaded Adaptors M12, M16, M20, M24 & M30   USA/CANADA UNC 1", 1/2", 3/4", 3/8" and 5/8"	£40.00 each
Heavy Duty Ringbolt Adaptor clevis	£285.00



1 The Courtyard, Roman Way, Coleshill, Birmingham. B46 1HQ  
**Tel:** +44 (0)1675 430 370 | **Fax:** +44 (0)1675 465 950 | **Email:** tester@hydrajaws.co.uk

### Gauges / Service / Calibration / Couplers

Medium Duty Gauge Calibration	<b>£42.00</b>
Medium Duty Tester Service	<b>£57.00</b>
4" Heavy Duty Gauge Calibration 30kN, 90kN, and Highways	<b>£58.00</b>
Replacement Medium Duty Gauges 5, 10, 15, 20, 25 & 30kN	<b>£67.00 each</b>
Replacement Heavy Duty Gauges 30kN & 90kN & Highways	<b>£178.00 each</b>
Hydraulic Coupler for Tester	<b>£42.25</b>
Gauge Coupler	<b>£21.00</b>
Digital Gauge and Coupler 0-25kN & 0-144kN	<b>£275.00</b>
Digital Gauge Calibration	<b>£62.00</b>

### HYDRAULIC TEST EQUIPMENT

#### Hollow Bore Cylinders for Heavy Duty Anchors and Fixings

CHFA132 123kN (13t) Hollow Cylinder   Hole diam. 22mm   Stroke: 51mm   H. 165mm   W. 2.3kg	<b>£536.00</b>
CHFA182 176kN (18t) Hollow Cylinder   Hole diam. 26mm   Stroke: 51mm   H. 171mm   W. 3kg	<b>£553.00</b>
CHFA302 300kN (30t) Hollow Cylinder   Hole diam. 34mm   Stroke: 51mm   H. 180mm   W. 5.8kg	<b>£1125.00</b>
CHFA504 508kN (50t) Hollow Cylinder   Hole diam. 51mm   Stroke: 102mm   H. 276mm   W. 14.7kg	<b>£1985.00</b>
CHFA673 659kN (67t) Hollow Cylinder   Hole diam. 54mm   Stroke: 77mm   H. 250mm   W. 18kg	<b>£1892.00</b>
Double acting versions of the above cylinders are available	<b>£P.O.A</b>
NOTE: Other models are available, details are available upon request	

#### Load Gauges – Glycerin Filled

100mm diameter calibration gauge for above cylinders, Maximum indicator pointer, stainless steel case, runner protection cover, quick release coupler for mounting to pump.	<b>£178.00</b>
---	----------------

#### Hand Pumps, Hoses and Heavy Duty Accessories

PHS70-1000WHJ for Single Acting Cylinders fitted with gauge block and coupler	<b>£599.00</b>
1. HYD080 2m High Pressure Hose	<b>£70.00</b>
2. HYD010 Fast Flow Hose Coupler	<b>£18.00</b>
3. HYD210 Metal Dust Cap Hose Coupler	<b>£7.00</b>
4. HYD030 Fast Flow Cylinder Coupler	<b>£24.00</b>
5. HYD110 Metal Dust Cap Cylinder Coupler	<b>£7.00</b>
HYD333 Hose Assembly (items 1-5)	<b>£126.00</b>
Heavy Duty Storage Box (for Hydraulics only)	<b>£71.00</b>
Heavy Duty Load Spreading Bridge (Max. 125kN)	<b>£517.00</b>
Heavy Duty Pulling Frame	<b>£215.00</b>
Dial Indicator with Base and Stand	<b>£157.00</b>

**\*NOTE: All Kits are supplied in a foam filled carrying case with full operating instructions and a 1 year calibration certificate.**